





Facets 3.66.0 October 2009 Updates

Enhancements																																											
Bias/interaction significance: Institute Welch (more conservative) version of Student's t-test for joint S.E.s	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">t</th> <th style="text-align: left;">Target Joint</th> <th colspan="3" style="text-align: center;">Welch</th> </tr> <tr> <th style="text-align: left;">e Contrast</th> <th style="text-align: left;">S.E</th> <th style="text-align: left;">t</th> <th style="text-align: left;">d.f.</th> <th style="text-align: left;">Prob.</th> </tr> </thead> <tbody> <tr> <td>1.96</td> <td>.55</td> <td>3.56</td> <td>167</td> <td>.0005</td> </tr> <tr> <td>1.53</td> <td>1.80</td> <td>.85</td> <td>27</td> <td>.4037</td> </tr> <tr> <td>-1.40</td> <td>.45</td> <td>-3.14</td> <td>268</td> <td>.0019</td> </tr> </tbody> </table>	t	Target Joint	Welch			e Contrast	S.E	t	d.f.	Prob.	1.96	.55	3.56	167	.0005	1.53	1.80	.85	27	.4037	-1.40	.45	-3.14	268	.0019																	
t	Target Joint	Welch																																									
e Contrast	S.E	t	d.f.	Prob.																																							
1.96	.55	3.56	167	.0005																																							
1.53	1.80	.85	27	.4037																																							
-1.40	.45	-3.14	268	.0019																																							
Facets Analysis window launches "normal" size, not maximized																																											
Help displayed by pressing F1																																											
Input data files: R statistics format, .rda and .rdata, supported (along with Excel, SPSS, Stata, SAS)	<p>Table 2. Data Summary Report Assigning models to "Guilford.rda" Importing datafile= C:\Facets\examples\Guilford.rda Waiting for imported datafile ... Continuing ... First active data line is: 1,1,5,5,3,5,3 Processed as: 1, 1, 1-5, 5,5,3,5,3</p>																																										
Input data files: number of blank lines in data file reported. Use "Edit menu", "Edit data" to see them	<p style="text-align: center;">Number of blank data lines (Edit Data=) = 1</p>																																										
Analysis time reported on Facets Analysis screen	<p style="text-align: center;">Analyzed in time of 0: 0: 3</p>																																										
Table 6: Subset reporting options for reporting in Table 6 with Subsets=	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Subset detection = No or Bypass</td> <td>do not detect subsets</td> </tr> <tr> <td>Subset detection = Report</td> <td>detect subsets and always show details in Table 6 and Table 7</td> </tr> <tr> <td>Subset detection = Yes (the default)</td> <td>detect subsets, but do not show details in Table 6 unless checked in the Table 6 dialog box Show details in Table 7</td> </tr> </table>	Subset detection = No or Bypass	do not detect subsets	Subset detection = Report	detect subsets and always show details in Table 6 and Table 7	Subset detection = Yes (the default)	detect subsets, but do not show details in Table 6 unless checked in the Table 6 dialog box Show details in Table 7																																				
Subset detection = No or Bypass	do not detect subsets																																										
Subset detection = Report	detect subsets and always show details in Table 6 and Table 7																																										
Subset detection = Yes (the default)	detect subsets, but do not show details in Table 6 unless checked in the Table 6 dialog box Show details in Table 7																																										
Score file: facet name and number available	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Displace</th> <th>Status</th> <th>Group</th> <th>2 Tapping items</th> <th>F-Number</th> <th>F-Label</th> </tr> </thead> <tbody> <tr> <td>.00</td> <td>-2</td> <td>0</td> <td>1 1-4</td> <td>2</td> <td>Tapping items</td> </tr> <tr> <td>.00</td> <td>-2</td> <td>0</td> <td>2 2-3</td> <td>2</td> <td>Tapping items</td> </tr> <tr> <td>.00</td> <td>-2</td> <td>0</td> <td>3 1-2-4</td> <td>2</td> <td>Tapping items</td> </tr> <tr> <td>.09</td> <td>-1</td> <td>0</td> <td>4 1-3-4</td> <td>2</td> <td>Tapping items</td> </tr> <tr> <td>.08</td> <td>-1</td> <td>0</td> <td>5 2-1-4</td> <td>2</td> <td>Tapping items</td> </tr> <tr> <td>.06</td> <td>-1</td> <td>0</td> <td>6 3-4-1</td> <td>2</td> <td>Tapping items</td> </tr> </tbody> </table>	Displace	Status	Group	2 Tapping items	F-Number	F-Label	.00	-2	0	1 1-4	2	Tapping items	.00	-2	0	2 2-3	2	Tapping items	.00	-2	0	3 1-2-4	2	Tapping items	.09	-1	0	4 1-3-4	2	Tapping items	.08	-1	0	5 2-1-4	2	Tapping items	.06	-1	0	6 3-4-1	2	Tapping items
Displace	Status	Group	2 Tapping items	F-Number	F-Label																																						
.00	-2	0	1 1-4	2	Tapping items																																						
.00	-2	0	2 2-3	2	Tapping items																																						
.00	-2	0	3 1-2-4	2	Tapping items																																						
.09	-1	0	4 1-3-4	2	Tapping items																																						
.08	-1	0	5 2-1-4	2	Tapping items																																						
.06	-1	0	6 3-4-1	2	Tapping items																																						
Score file: Expected value of the point-measure correlation always available for the Score file	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>3 Outfitz</th> <th>PtMeas</th> <th>PtMeExp</th> <th>Discrim</th> <th>Displace</th> <th>Status</th> <th>Group</th> <th>1 Children</th> </tr> </thead> <tbody> <tr> <td>1.99</td> <td>0.8</td> <td>0.75</td> <td>1.71</td> <td>-0.03</td> <td>-1</td> <td>-1</td> <td>1 Boy</td> </tr> <tr> <td>1.94</td> <td>0.65</td> <td>0.87</td> <td>-0.96</td> <td>0</td> <td>-1</td> <td>-1</td> <td>2 Boy</td> </tr> </tbody> </table>	3 Outfitz	PtMeas	PtMeExp	Discrim	Displace	Status	Group	1 Children	1.99	0.8	0.75	1.71	-0.03	-1	-1	1 Boy	1.94	0.65	0.87	-0.96	0	-1	-1	2 Boy																		
3 Outfitz	PtMeas	PtMeExp	Discrim	Displace	Status	Group	1 Children																																				
1.99	0.8	0.75	1.71	-0.03	-1	-1	1 Boy																																				
1.94	0.65	0.87	-0.96	0	-1	-1	2 Boy																																				

<p>Bug Repairs</p>																																																																																																																																																																	
<p>Model= misread due to Unicode problem: In addition to ?, also allowed are: ?? and \$</p>	<p>Model = ?,?,?,R can malfunction with Unicode Use: Model = \$,\$,\$,R</p>																																																																																																																																																																
<p>Table 4 (unexpected responses) - Sort on displayed numerical values, not high precision values</p>	<p>Table 4.3 Unexpected Responses (4 residuals sorted by Z,3).</p> <table border="1"> <thead> <tr> <th>Cat</th> <th>Score</th> <th>Exp.</th> <th>Resd</th> <th>StRes</th> <th>N</th> <th>Senior</th> <th>sc</th> <th>N</th> <th>Junior</th> <th>N</th> <th>Traits</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>2</td> <td>6.1</td> <td>-4.3</td> <td>-2.7</td> <td>2</td> <td>Brahe</td> <td>5</td> <td>Edward</td> <td>4</td> <td>Daring</td> <td></td> </tr> <tr> <td>2</td> <td>2</td> <td>6.0</td> <td>-4.0</td> <td>-2.7</td> <td>2</td> <td>Brahe</td> <td>5</td> <td>Edward</td> <td>1</td> <td>Attack</td> <td></td> </tr> <tr> <td>6</td> <td>6</td> <td>2.9</td> <td>3.1</td> <td>2.4</td> <td>2</td> <td>Brahe</td> <td>3</td> <td>Chris</td> <td>5</td> <td>Enthusiasm</td> <td></td> </tr> <tr> <td>6</td> <td>6</td> <td>2.9</td> <td>3.1</td> <td>2.4</td> <td>2</td> <td>Brahe</td> <td>6</td> <td>Fred</td> <td>3</td> <td>Clarity</td> <td></td> </tr> </tbody> </table>	Cat	Score	Exp.	Resd	StRes	N	Senior	sc	N	Junior	N	Traits	2	2	6.1	-4.3	-2.7	2	Brahe	5	Edward	4	Daring		2	2	6.0	-4.0	-2.7	2	Brahe	5	Edward	1	Attack		6	6	2.9	3.1	2.4	2	Brahe	3	Chris	5	Enthusiasm		6	6	2.9	3.1	2.4	2	Brahe	6	Fred	3	Clarity																																																																																																					
Cat	Score	Exp.	Resd	StRes	N	Senior	sc	N	Junior	N	Traits																																																																																																																																																						
2	2	6.1	-4.3	-2.7	2	Brahe	5	Edward	4	Daring																																																																																																																																																							
2	2	6.0	-4.0	-2.7	2	Brahe	5	Edward	1	Attack																																																																																																																																																							
6	6	2.9	3.1	2.4	2	Brahe	3	Chris	5	Enthusiasm																																																																																																																																																							
6	6	2.9	3.1	2.4	2	Brahe	6	Fred	3	Clarity																																																																																																																																																							
<p>Table 5 (data summary) correction to d.f. computation for global fit test</p>	<p>89:Data log-likelihood chi-square = 247.3983 90:Approximate degrees of freedom = 2+49 91: Chi-square significance prob. = .0000</p>																																																																																																																																																																
<p>Subset reporting: Table 6.0.0 was not output. Subset reporting is added as an option in the “Output Tables”, “Table 6” dialog box.</p>																																																																																																																																																																	
<p>Table 8 for rating scales: correction to last line of structure table.</p>	<table border="1"> <thead> <tr> <th>DATA</th> <th>QUALITY CONTROL</th> <th>RASCH-ANDRICH</th> <th>EXPECTATION</th> <th>MOST</th> <th>RASCH-</th> <th>Cat</th> <th>Obsd-Expd</th> </tr> <tr> <th>Category</th> <th>Counts</th> <th>Cum.</th> <th>Avg</th> <th>Exp.</th> <th>OUTFIT</th> <th>Thresholds</th> <th>Measure at</th> <th>PROBABLE</th> <th>THRESHOLD</th> <th>PEAK</th> <th>Diagnostic</th> </tr> <tr> <th>Score</th> <th>Used</th> <th>%</th> <th>Reas</th> <th>Reas</th> <th>MnSq</th> <th>Measure</th> <th>S.E.</th> <th>Category</th> <th>-0.5</th> <th>from</th> <th>Thresholds</th> <th>Prob</th> <th>Residual</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2</td> <td>3%</td> <td>-6.73</td> <td>-5.64</td> <td>.9</td> <td></td> <td></td> <td>(-29.30)</td> <td></td> <td>low</td> <td>low</td> <td>100%</td> <td></td> </tr> <tr> <td>2</td> <td>4</td> <td>5%</td> <td>-2.10</td> <td>-4.67</td> <td>1.4</td> <td></td> <td></td> <td>-12.03</td> <td>7.37</td> <td>-17.19</td> <td>-23.62</td> <td></td> <td>-19.47</td> </tr> <tr> <td>3</td> <td>20</td> <td>27%</td> <td>35%</td> <td>-2.20*</td> <td>-3.26</td> <td>.7</td> <td></td> <td>-19.57</td> <td>4.43</td> <td>-8.67</td> <td>-12.50</td> <td>-15.00</td> <td>-17.70</td> </tr> <tr> <td>4</td> <td>8</td> <td>11%</td> <td>45%</td> <td>-3.82*</td> <td>-1.95</td> <td>.3</td> <td></td> <td>7.14</td> <td>2.75</td> <td>-3.05</td> <td>-5.57</td> <td></td> <td>-3.46</td> </tr> <tr> <td>5</td> <td>19</td> <td>25%</td> <td>71%</td> <td>-.70</td> <td>-.60</td> <td>.8</td> <td></td> <td>-9.37</td> <td>2.69</td> <td>1.05</td> <td>-.90</td> <td>-1.11</td> <td>-1.31</td> </tr> <tr> <td>6</td> <td>6</td> <td>8%</td> <td>79%</td> <td>-3.02*</td> <td>.66</td> <td>3.1</td> <td></td> <td>12.06</td> <td>3.04</td> <td>4.67</td> <td>2.93</td> <td></td> <td>3.48</td> </tr> <tr> <td>7</td> <td>12</td> <td>16%</td> <td>95%</td> <td>3.01</td> <td>1.77</td> <td>.8</td> <td></td> <td>-5.04</td> <td>3.28</td> <td>9.31</td> <td>6.96</td> <td>3.51</td> <td>5.37</td> </tr> <tr> <td>8</td> <td>2</td> <td>3%</td> <td>97%</td> <td>6.76</td> <td>2.58</td> <td>.5</td> <td></td> <td>21.43</td> <td>6.20</td> <td>15.62</td> <td>12.09</td> <td></td> <td>12.93</td> </tr> <tr> <td>9</td> <td>2</td> <td>3%</td> <td>100%</td> <td>5.18*</td> <td>2.86</td> <td>1.2</td> <td></td> <td>5.37</td> <td>8.89</td> <td>16.62</td> <td>13.16</td> <td>16.36</td> <td>100%</td> </tr> </tbody> </table> <p>(Mean) (Modat) (Median)</p>	DATA	QUALITY CONTROL	RASCH-ANDRICH	EXPECTATION	MOST	RASCH-	Cat	Obsd-Expd	Category	Counts	Cum.	Avg	Exp.	OUTFIT	Thresholds	Measure at	PROBABLE	THRESHOLD	PEAK	Diagnostic	Score	Used	%	Reas	Reas	MnSq	Measure	S.E.	Category	-0.5	from	Thresholds	Prob	Residual	1	2	3%	-6.73	-5.64	.9			(-29.30)		low	low	100%		2	4	5%	-2.10	-4.67	1.4			-12.03	7.37	-17.19	-23.62		-19.47	3	20	27%	35%	-2.20*	-3.26	.7		-19.57	4.43	-8.67	-12.50	-15.00	-17.70	4	8	11%	45%	-3.82*	-1.95	.3		7.14	2.75	-3.05	-5.57		-3.46	5	19	25%	71%	-.70	-.60	.8		-9.37	2.69	1.05	-.90	-1.11	-1.31	6	6	8%	79%	-3.02*	.66	3.1		12.06	3.04	4.67	2.93		3.48	7	12	16%	95%	3.01	1.77	.8		-5.04	3.28	9.31	6.96	3.51	5.37	8	2	3%	97%	6.76	2.58	.5		21.43	6.20	15.62	12.09		12.93	9	2	3%	100%	5.18*	2.86	1.2		5.37	8.89	16.62	13.16	16.36	100%
DATA	QUALITY CONTROL	RASCH-ANDRICH	EXPECTATION	MOST	RASCH-	Cat	Obsd-Expd																																																																																																																																																										
Category	Counts	Cum.	Avg	Exp.	OUTFIT	Thresholds	Measure at	PROBABLE	THRESHOLD	PEAK	Diagnostic																																																																																																																																																						
Score	Used	%	Reas	Reas	MnSq	Measure	S.E.	Category	-0.5	from	Thresholds	Prob	Residual																																																																																																																																																				
1	2	3%	-6.73	-5.64	.9			(-29.30)		low	low	100%																																																																																																																																																					
2	4	5%	-2.10	-4.67	1.4			-12.03	7.37	-17.19	-23.62		-19.47																																																																																																																																																				
3	20	27%	35%	-2.20*	-3.26	.7		-19.57	4.43	-8.67	-12.50	-15.00	-17.70																																																																																																																																																				
4	8	11%	45%	-3.82*	-1.95	.3		7.14	2.75	-3.05	-5.57		-3.46																																																																																																																																																				
5	19	25%	71%	-.70	-.60	.8		-9.37	2.69	1.05	-.90	-1.11	-1.31																																																																																																																																																				
6	6	8%	79%	-3.02*	.66	3.1		12.06	3.04	4.67	2.93		3.48																																																																																																																																																				
7	12	16%	95%	3.01	1.77	.8		-5.04	3.28	9.31	6.96	3.51	5.37																																																																																																																																																				
8	2	3%	97%	6.76	2.58	.5		21.43	6.20	15.62	12.09		12.93																																																																																																																																																				
9	2	3%	100%	5.18*	2.86	1.2		5.37	8.89	16.62	13.16	16.36	100%																																																																																																																																																				
<p>Output Table and Output file dialog boxes: Selecting “All” resets the other selections Table 7 selection Table 8 selection Score file selection</p>																																																																																																																																																																	
<p>Score file field selection box: Corrected to produce score file fields which match the selected fields</p>																																																																																																																																																																	
<p>Excel: some element labels misinterpreted by Excel as numbers or dates</p>	<table border="1"> <thead> <tr> <th></th> <th>N</th> <th>O</th> <th>P</th> </tr> </thead> <tbody> <tr> <td>Children</td> <td></td> <td>Tapping its</td> <td>Gender</td> </tr> <tr> <td>Adam</td> <td>M</td> <td>1-4</td> <td>M</td> </tr> <tr> <td>Adam</td> <td>M</td> <td>2-3</td> <td>M</td> </tr> <tr> <td>Adam</td> <td>M</td> <td>1/2/2004</td> <td>M</td> </tr> </tbody> </table>		N	O	P	Children		Tapping its	Gender	Adam	M	1-4	M	Adam	M	2-3	M	Adam	M	1/2/2004	M																																																																																																																																												
	N	O	P																																																																																																																																																														
Children		Tapping its	Gender																																																																																																																																																														
Adam	M	1-4	M																																																																																																																																																														
Adam	M	2-3	M																																																																																																																																																														
Adam	M	1/2/2004	M																																																																																																																																																														
<p>Crash with some out-of-scope file names</p>	<p>Facets 3.65.0 failed at 14793:52 Bad file name or number</p>																																																																																																																																																																

<p>Crash with some long or unobserved rating scales.</p>	
<p>Crash on graphing Poisson curves</p>	